L Number	Hits	Search Text	DB	Time stamp
1	7824	(((427/9) or (118/668)).CCLS.)	USPAT;	2004/09/16 13:44
		((427/10).CCLS.)	US-PGPUB	
1		((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.) ((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.)))		
2	524	((427/9) or (118/668)).CCLS.	USPAT;	2004/09/16 13:44
	500	(407/10) 0070	US-PGPUB	•
3	528	(427/10).CCLS.	USPAT;	2004/09/16 13:44
4	2631	(427/162,164,165,166).CCLS.	US-PGPUB USPAT;	2004/09/16 13:44
		(121, 121, 131, 133, 133, 133, 133, 133,	US-PGPUB	2004/05/10 15.44
5	892	(427/255.15,255.7).CCLS.	USPAT;	2004/09/16 13:44
6	440	(427/410 2) 0010	US-PGPUB	
0	440	(427/419.3).CCLS.	USPAT; US-PGPUB	2004/09/16 13:44
7	1343	(359/580,588,885).CCLS.	USPAT;	2004/09/16 13:44
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB	2001/03/10 13.44
8	5903	(((427/9) or (118/668)).CCLS.)	USPAT;	2004/09/16 13:45
		((427/10).CCLS.)	US-PGPUB	
		((427/162,164,165,166).CCLS.) ((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.)		
9	0	( ( ( ( ) ) )	USPAT;	2004/09/16 13:46
		((427/10).CCLS.) ((427/162,164,165,166).CCLS.)	US-PGPUB	
		((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.)) and		
		(compensat\$5 with delay with signal with (endpoint or end\$4 or stop\$5 or		
		terminat\$5))		
10	366		USPAT;	2004/09/16 13:56
		(endpoint or end\$4 or stop\$5 or	US-PGPUB	
11	5	terminat\$5)) (compensat\$5 with delay with signal with	HODE TO	0004/00/15 10 55
	_	(endpoint or end\$4 or stop\$5 or	USPAT; US-PGPUB	2004/09/16 13:56
		terminat\$5) with (deposit\$4 or \$4CVD or	OS TGTOB	
12		coat\$3))		
12	6	(delay with signal with (endpoint or end\$4 or stop\$5 or terminat\$5)) and ((((427/9)	USPAT; US-PGPUB	2004/09/16 13:47
		or (118/668)).CCLS.) ((427/10).CCLS.)	US-FGPUB	
		((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.) ((359/580,588,885).CCLS.))		
13	31	(delay with signal\$5 with (endpoint or	USPAT;	2004/09/16 13:51
		end\$4 or stop\$5 or terminat\$5) with	US-PGPUB	2001/03/10 13:51
14	6	(deposit\$4 or \$4CVD or coat\$3))		
1 + 3	Ö	(delay with signal\$5 with (endpoint or end\$4 or stop\$5 or terminat\$5)) and	USPAT; US-PGPUB	2004/09/16 13:52
		((((427/9) or (118/668)).CCLS.)	US-FGFUB	
		((427/10).CCLS.)		
		((427/162,164,165,166).CCLS.)	İ	
		((427/255.15,255.7).CCLS.) ((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.))		
15	13821	(delay with signal\$5 with (endpoint or	USPAT;	2004/09/16 13:53
16	320	end\$4 or stop\$5 or terminat\$5))	US-PGPUB	0004/00/5
+ Ŭ	320	(delay with signal\$5 with (endpoint or end\$4 or stop\$5 or terminat\$5) with	USPAT; US-PGPUB	2004/09/16 13:58
		process)	CO LOPOD	
17	10	(delay with signal\$5 with (endpoint or	USPAT;	2004/09/16 13:55
		<pre>end\$4 or stop\$5 or terminat\$5) with process) and ((vapor adj deposit\$3) or</pre>	US-PGPUB	
		evaporat\$5 or shutter or \$4CVD or \$4PVD)		
18	6	(compensat\$5 with delay with signal with	USPAT;	2004/09/16 13:57
		(endpoint or end\$4 or stop\$5 or	US-PGPUB	= 101,05,10 15.57
		terminat\$5) same (deposit\$4 or \$4CVD or coat\$3))		
		COGC4311		

1.0	1		T	Lagar (a.g. (a.g. )
19	1	((compensat\$5 with delay with signal with	USPAT;	2004/09/16 13:56
		(endpoint or end\$4 or stop\$5 or	US-PGPUB	
1		terminat\$5) same (deposit\$4 or \$4CVD or		
		coat\$3))) not ((compensat\$5 with delay		
		with signal with (endpoint or end\$4 or		
		<pre>stop\$5 or terminat\$5) with (deposit\$4 or \$4CVD or coat\$3)))</pre>		
20	366		USPAT;	2004/09/16 13:57
1 20	300	(endpoint or end\$4 or stop\$5 or	US-PGPUB	2004/09/16 13:5/
1		terminat\$5))	US-FGFUB	
21	1	(account\$4 with delay with signal with	USPAT;	2004/09/16 13:58
	_	(endpoint or end\$4 or stop\$5 or	US-PGPUB	2004/03/10 13:30
		terminat\$5) same (deposit\$4 or \$4CVD or	05 10105	
	1	coat\$3))		
22	183	(delay with signal\$5 with (between or	USPAT;	2004/09/16 14:05
	1	time) with (endpoint or end\$4 or stop\$5 or	US-PGPUB	
		terminat\$5) with process)		1
23	293	' ' ] ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2004/09/16 14:05
		(endpoint or end\$4 or stop\$5 or	US-PGPUB	
		terminat\$5) )		
24	1	((delay with signal\$5 with (correct\$5)	USPAT;	2004/09/16 14:05
		with (endpoint or end\$4 or stop\$5 or	US-PGPUB	
		terminat\$5) ) ) and ((((427/9) or		
		(118/668)).CCLS.) ((427/10).CCLS.)		
		((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.)	ļ	
		((427/419.3).CCLS.)	İ	
25	14	((359/580,588,885).CCLS.)) (delay with signal\$5 with (correct\$5) with	IICDAM.	2004/00/16 14:00
23	14	(endpoint or end\$4 or stop\$5 or	USPAT; US-PGPUB	2004/09/16 14:09
		terminat\$5) with (process or deposit\$4 or	US-FGFUB	
		coat\$4 or evaporat\$5 or \$4CVD or vapor or		
		\$4PVD))		
27	0	((delay with (correct\$5 or compensat\$5)	USPAT;	2004/09/16 14:10
		with (endpoint or end\$4 or stop\$5 or	US-PGPUB	2001/03/10 14:10
		terminat\$5) with (process or deposit\$4 or		
		coat\$4 or evaporat\$5 or \$4CVD or vapor or		
1		\$4PVD)) ) and ((((427/9) or		
		(118/668)).CCLS.) ((427/10).CCLS.)		! !
		((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.)		l i
		((427/419.3).CCLS.)		
100		((359/580,588,885).CCLS.))		
26	92	(delay with (correct\$5 or compensat\$5)	USPAT;	2004/09/16 14:18
<u>}</u>		with (endpoint or end\$4 or stop\$5 or	US-PGPUB	ļ
		terminat\$5) with (process or deposit\$4 or		
		coat\$4 or evaporat\$5 or \$4CVD or vapor or \$4PVD))		
28	114	(delay with (correct\$5 or compensat\$5)	USPAT;	2004/09/16 14:10
		with (endpoint or end\$4 or stop\$5 or	USPAT; US-PGPUB;	2004/09/16 14:10
1		terminat\$5) with (process or deposit\$4 or	EPO; JPO;	
		coat\$4 or evaporat\$5 or \$4CVD or vapor or	DERWENT;	
1		\$4PVD))	IBM TDB	
29	75	(delay with (correct\$5 or compensat\$5)	USPAT;	2004/09/16 14:19
		with (deposit\$4 or coat\$4 or \$4CVD or	US-PGPUB	
		\$4PVD))		
-	1	6542666.pn.	USPAT;	2004/09/15 13:27
			US-PGPUB	
-	7	(Furukawa.as. or Mizuno.in. or Mimura.in.	USPAT;	2004/09/15 13:33
		or Hiroyuki.in.) and ((bandpass or (band	US-PGPUB	
		adj pass) or optical) adj filter) and		
		(transmit\$5 with (equation or function\$2		
_		or formula) with time)		
_	1	(Furukawa.as. or Mizuno.in. or Mimura.in.	EPO; JPO;	2004/09/15 13:36
1		or Hiroyuki.in.) and ((bandpass or (band	DERWENT;	
	j	adj pass) or optical) adj filter) and	IBM_TDB	
		(transmit\$5 with (equation or function\$2 or formula) with time)		
_	58	(Furukawa.as. or Mizuno.in. or Mimura.in.	EDO. TDO:	2004/00/15 12 25
	30	or Hiroyuki.in.) and (transmit\$5 with	EPO; JPO;	2004/09/15 13:37
		(equation or function\$2 or formula) with	DERWENT;	
		time)	IBM_TDB	
	<del></del>	/	L	1

-	2	(Furukawa.as. or Mizuno.in. or Mimura.in.	USPAT;	2004/09/15 13:42
		or Hiroyuki.in.) and ((predict\$4 or	US-PGPUB;	
	ļ	determin\$5) with (end\$3 or endpoint or	EPO; JPO;	
		stop\$4) with time with (during or while) with (coat\$3 or deposit\$4))	DERWENT; IBM TDB	
_	4	(Furukawa.as. or Mizuno.in. or Mimura.in.	USPAT;	2004/09/15 13:41
	1	or Hiroyuki.in.) and ((predict\$4 or	US-PGPUB;	2004/05/15 15.41
		determin\$5) with (end\$3 or endpoint or	EPO; JPO;	
		stop\$4) with (during or while) with	DERWENT;	
		(coat\$3 or deposit\$4))	IBM_TDB	
-	2	((Furukawa.as. or Mizuno.in. or Mimura.in.	USPAT;	2004/09/15 13:41
		or Hiroyuki.in.) and ((predict\$4 or	US-PGPUB;	
i		determin\$5) with (end\$3 or endpoint or stop\$4) with (during or while) with	EPO; JPO; DERWENT;	
		(coat\$3 or deposit\$4))) not ((Furukawa.as.	IBM TDB	
		or Mizuno.in. or Mimura.in. or	12	
		Hiroyuki.in.) and ((predict\$4 or		
		determin\$5) with (end\$3 or endpoint or		
		stop\$4) with time with (during or while)		[
		with (coat\$3 or deposit\$4)))		
-	1	(	USPAT;	2004/09/15 13:43
		or Hiroyuki.in.) and (adjust\$5 near2 constant near2 parameter)	US-PGPUB; EPO; JPO;	
1		parameter/	DERWENT;	
			IBM TDB	
-	117	(Furukawa.as. or Mizuno.in. or Mimura.in.	USPAT;	2004/09/15 13:45
1		or Hiroyuki.in.) and (compensat\$4 near2	US-PGPUB;	
		(constant or term or parameter))	EPO; JPO;	
			DERWENT;	
l _	6	((Furukawa.as. or Mizuno.in. or Mimura.in.	IBM_TDB USPAT;	2004/09/15 13:44
		or Hiroyuki.in.) and (compensat\$4 near2	US-PGPUB;	2004/09/15 13:44
		(constant or term or parameter))) and	EPO; JPO;	
1		(optical adj filter)	DERWENT;	*
		-	IBM_TDB	
-	6	(Furukawa.as. or Mizuno.in. or Mimura.in.	USPĀT;	2004/09/15 13:48
		or Hiroyuki.in.) and (optical adj filter)	US-PGPUB;	
		and (((measur\$4 or monitor\$3) near3 (reflect\$4 or transmit\$5)) same	EPO; JPO;	
		((control\$4 or regulat\$5 or determin\$5 or	DERWENT; IBM TDB	
1		predict\$5 or adjust\$4) with (stop\$4 or	12.1_122	
1	1	endpoint or end\$3 or thick\$4)))		
-	524	((427/9) or (118/668)).CCLS.	USPAT;	2004/09/16 13:44
1		(407/10) 0070	US-PGPUB	
l <sup>-</sup>	528	(427/10).CCLS.	USPAT;	2004/09/16 13:44
_	2631	(427/162,164,165,166).CCLS.	US-PGPUB	2004/00/16 12 11
	2031	(12.//102/103/100/.CCLD.	USPAT; US-PGPUB	2004/09/16 13:44
-	892	(427/255.15,255.7).CCLS.	USPAT;	2004/09/16 13:44
			US-PGPUB	
-	440	(427/419.3).CCLS.	USPAT;	2004/09/16 13:44
	1040	(250/500 500 005) 2222	US-PGPUB	
_	1343	(359/580,588,885).CCLS.	USPAT;	2004/09/16 13:44
_	5903	(((427/9) or (118/668)).CCLS.)	US-PGPUB	2004/00/16 12 42
	3,03	((427/10).CCLS.)	USPAT; US-PGPUB	2004/09/16 13:43
[ i	i	((427/162,164,165,166).CCLS.)	22 10100	
		((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.)		
-	11	((427/10).CCLS.) and	USPAT;	2004/09/16 08:40
_	36	((359/580,588,885).CCLS.) ((427/10).CCLS.) and	US-PGPUB	2004/00/16 00 40
		((427/162,164,165,166).CCLS.)	USPAT; US-PGPUB	2004/09/16 08:40
-	28	(((427/10).CCLS.) and	USPAT;	2004/09/16 08:52
		((427/162,164,165,166).CCLS.)) not	US-PGPUB	=00.,00,10 00.52
		(((427/10).CCLS.) and		
	, ,	((359/580,588,885).CCLS.))		
-	1	4311725.pn.	USPAT;	2004/09/16 08:56
_	11	((427/10).CCLS.) and	US-PGPUB	2004/00/16 00 50
	**	((427/255.15,255.7).CCLS.)	USPAT; US-PGPUB	2004/09/16 08:58
			25 10100	

_	5	((427/10).CCLS.) and ((427/419.3).CCLS.)	USPAT; US-PGPUB	2004/09/16 08:59
_	2	(((427/9) or (118/668)).CCLS.) and ((427/419.3).CCLS.)	USPAT; US-PGPUB	2004/09/16 08:59
-	14	(((427/9) or (118/668)).CCLS.) and ((427/162,164,165,166).CCLS.)	USPAT;	2004/09/16 09:01
_	1	(((427/9) or (118/668)).CCLS.) and	US-PGPUB USPAT;	2004/09/16 09:01
-	3	((359/580,588,885).CCLS.) (((427/9) or (118/668)).CCLS.) and	US-PGPUB USPAT;	2004/09/16 09:01
_	126	((427/255.15,255.7).CCLS.) ((427/10).CCLS.) and (filter)	US-PGPUB USPAT;	2004/09/16 09:02
_	108	(((427/10).CCLS.) and (filter)) not	US-PGPUB USPAT;	2004/09/16 09:21
		((((427/10).CCLS.) and ((359/580,588,885).CCLS.)) or	US-PGPUB	2004/09/10 09:21
		(((427/10).CCLS.) and		
		((427/162,164,165,166).CCLS.)) or ((((427/10).CCLS.) and		
		((427/162,164,165,166).CCLS.)) not (((427/10).CCLS.) and		
_	10	((359/580,588,885).CCLS.)))) ((427/10).CCLS.) and ((predict\$4 or	USPAT;	2004/09/16 09:27
		forecast\$4) with (stop\$4 or end\$3 or endpoint or equation or formula or	US-PGPUB	2004/09/16 09:2/
	_	model\$3))		
_	6	(((427/9) or (118/668)).CCLS.) and ((predict\$4 or forecast\$4) with (stop\$4 or	USPAT; US-PGPUB	2004/09/16 09:26
		<pre>end\$3 or endpoint or equation or formula or model\$3))</pre>		
-	394	((427/10).CCLS.) not ((((427/10).CCLS.) and (filter)) or ((((427/10).CCLS.) and	USPAT; US-PGPUB	2004/09/16 10:17
		(filter)) not ((((427/10).CCLS.) and ((359/580,588,885).CCLS.)) or	OB TOTOE	
		(((427/10).CCLS.) and		
		((427/162,164,165,166).CCLS.)) or ((((427/10).CCLS.) and		
		((427/162,164,165,166).CCLS.)) not (((427/10).CCLS.) and		
	!	((359/580,588,885).CCLS.))))) or (((427/10).CCLS.) and ((predict\$4 or		
		forecast\$4) with (stop\$4 or end\$3 or endpoint or equation or formula or		
_	30	model\$3))))		
	30	((((427/9) or (118/668)).CCLS.) ((427/10).CCLS.)	USPAT; US-PGPUB	2004/09/16 10:18
		((427/162,164,165,166).CCLS.) ((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.) ((359/580,588,885).CCLS.)) and filter and		
		((predict\$5 or anticipat\$5 or forecast\$3) with (end\$3 or stop\$4 or endpoint or		
		terminat\$4 or finish\$3 or equation or formula or model\$3))		
-	8	((((427/9) or (118/668)).CCLS.) ((427/10).CCLS.)	USPAT;	2004/09/16 10:22
		((427/162,164,165,166).CCLS.)	US-PGPUB	
		((427/255.15,255.7).CCLS.) ((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.)) and filter and ((predict\$5 or anticipat\$5 or forecast\$3)		
		with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3))		
· <del></del>				

Page 4

		(110/660)	T	1 0 0 0 1 1 0 1 0 0 0 0 0 0 0 0 0 0 0 0
-	22	(((((427/9) or (118/668)).CCLS.)	USPAT;	2004/09/16 10:20
		((427/10).CCLS.)	US-PGPUB	
		((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.)		-
		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.)) and filter and		
1		((predict\$5 or anticipat\$5 or forecast\$3)		
		with (end\$3 or stop\$4 or endpoint or	1	
		terminat\$4 or finish\$3 or equation or		
		formula or model\$3))) not ((((427/9) or		
		(118/668)).CCLS.) ((427/10).CCLS.)		
		((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.)) and filter and		
		((predict\$5 or anticipat\$5 or forecast\$3)		
		with (end\$3 or stop\$4 or endpoint or		
		terminat\$4 or finish\$3)))	1	
_	19		USPAT;	2004/09/16 10:24
		((427/10).CCLS.)	US-PGPUB	2001,03,10 10.24
		((427/162,164,165,166).CCLS.)	** ******	
		((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.)) and ((predict\$5		
		or anticipat\$5 or forecast\$3) with (end\$3		
		or stop\$4 or endpoint or terminat\$4 or		
		finish\$3))		
_	11	(((((427/9) or (118/668)).CCLS.)	USPAT;	2004/00/16 10:22
	11	((427/10).CCLS.)	US-PGPUB	2004/09/16 10:22
		((427/162,164,165,166).CCLS.)	US-PGPUB	
		((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.)) and ((predict\$5		
		or anticipat\$5 or forecast\$3) with (end\$3		
		or stored or orderint or terminated		
		or stop\$4 or endpoint or terminat\$4 or		
		finish\$3))) not ((((427/9) or		
		(118/668)).CCLS.) ((427/10).CCLS.)	İ	-
		((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.)) and filter and		
		((predict\$5 or anticipat\$5 or forecast\$3)		
		with (end\$3 or stop\$4 or endpoint or		
	. 0	terminat\$4 or finish\$3)))		*
-	161	((predict\$5 or anticipat\$5 or forecast\$3)	USPAT;	2004/09/16 10:44
		with (end\$3 or stop\$4 or endpoint or	US-PGPUB	
		terminat\$4 or finish\$3) with (deposit\$3 or		
		\$4CVD or coat\$3 or process) with		
		(transmit\$5 or optic\$5 or reflect\$5 or		
i l		equation or formula or model\$4))		

	1 1 5 0			
-	158		USPAT;	2004/09/16 10:40
		with (end\$3 or stop\$4 or endpoint or	US-PGPUB	
	1	terminat\$4 or finish\$3) with (deposit\$3 or		
		\$4CVD or coat\$3 or process) with		
		(transmit\$5 or optic\$5 or reflect\$5 or		
		equation or formula or model\$4))) not	1	
1		(((((((427/9) or (118/668)).CCLS.)		
		((427/10).CCLS.)		
		((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.)) and filter and		
		((predict\$5 or anticipat\$5 or forecast\$3)		
		with (end\$3 or stop\$4 or endpoint or	1	
		terminat\$4 or finish\$3 or equation or		
i		formula or model\$3))) not ((((427/9) or		
		(118/668)).CCLS.) ((427/10).CCLS.)		
		((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.)) and filter and		]
		((predict\$5 or anticipat\$5 or forecast\$3)		
		with (end\$3 or stop\$4 or endpoint or	1	
		terminat\$4 or finish\$3)))) or ((((427/9)	ĺ	
		or (118/668)).CCLS.) ((427/10).CCLS.)		1
		((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.)	Ì	
		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.)) and ((predict\$5	ļ	
		or anticipat\$5 or forecast\$3) with (end\$3	i	
		or stop\$4 or endpoint or terminat\$4 or		
		finish(\$3))) or (((((427/9) or		
	1	(118/668)).CCLS.) ((427/10).CCLS.)		i l
		((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.)		
	İ	((359/580,588,885).CCLS.)) and ((predict\$5		
		or anticipat\$5 or forecast\$3) with (end\$3		
		or stop\$4 or endpoint or terminat\$4 or		
		finish\$3))) not (((((427/9) or		
		(118/668)).CCLS.) ((427/10).CCLS.)		
		((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.)		
	1	((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.)) and filter and ((predict\$5 or anticipat\$5 or forecast\$3)		
1	Ì	with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3))))		
_	32		EDO. TRO	2004/00/20 10 15
		with (end\$3 or stop\$4 or endpoint or	EPO; JPO;	2004/09/16 10:46
	1	terminat\$4 or finish\$3) with (deposit\$3 or	DERWENT;	1
	<b>!</b>	\$4CVD or coat\$3 or process) with	IBM_TDB	
		(transmit\$5 or optic\$5 or reflect\$5 or		
		equation or formula or model\$4))		
-	234	((predict\$5 or anticipat\$5 or forecast\$3)	FDO: TDO:	2004/00/16 10:30
	201	with (end\$3 or stop\$4 or endpoint or	EPO; JPO; DERWENT;	2004/09/16 10:38
		terminat\$4 or finish\$3) with (deposit\$3 or	IBM TDB	
		\$4CVD or coat\$3 or process))	TOM_IDB	
-	17	((predict\$5 or anticipat\$5 or forecast\$3)	EDO. TDO.	2004/00/16 10 60
1	* '	with (end\$3 or stop\$4 or endpoint or	EPO; JPO;	2004/09/16 10:40
		terminat\$4 or finish\$3) with (deposit\$3 or	DERWENT;	
		\$4CVD or coat\$3))	IBM_TDB	
-	180	((predict\$5 or anticipat\$5 or forecast\$3)	HCDATT.	2004/00/16 10 10
	100	with (end\$3 or stop\$4 or endpoint or	USPAT;	2004/09/16 10:40
		terminat\$4 or finish\$3) with (deposit\$3 or	US-PGPUB	
	]	\$4CVD or coat\$3))		
	·	1 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -		

	.,			
-	169	with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with (deposit\$3 or \$4CVD or coat\$3))) not (((predict\$5 or anticipat\$5 or forecast\$3) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with (deposit\$3 or \$4CVD or coat\$3 or process) with (transmit\$5 or optic\$5 or reflect\$5 or equation or formula or model\$4)))	USPAT; US-PGPUB	2004/09/16 10:41
-	1900	<pre>((predict\$5 or anticipat\$5 or forecast\$3) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with (transmit\$5 or optic\$5 or reflect\$5 or equation or formula or model\$4))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/16 10:51
_	7		IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:45
_	2		EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:47
_	13	((extrapolat\$5) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with (deposit\$3 or \$4CVD or coat\$3 or process)	EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:46
_	11	(((extrapolat\$5) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with (deposit\$3 or \$4CVD or coat\$3 or process))) not (((extrapolat\$5) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with (deposit\$3 or \$4CVD or coat\$3 or process) with (transmit\$5 or optic\$5 or reflect\$5 or equation or formula or model\$4)))	EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:46
_	6	((extrapolat\$5) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with (deposit\$3 or \$4CVD or coat\$3 or process) with (transmit\$5 or optic\$5 or reflect\$5 or equation or formula or model\$4))	USPAT; US-PGPUB	2004/09/16 10:48
-	70	((extrapolat\$5) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with (deposit\$3 or \$4CVD or coat\$3 or process)	USPAT; US-PGPUB	2004/09/16 10:49
_	64	(((extrapolat\$5) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with (deposit\$3 or \$4CVD or coat\$3 or process) )) not (((extrapolat\$5) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with (deposit\$3 or \$4CVD or coat\$3 or process) with (transmit\$5 or optic\$5 or reflect\$5 or equation or formula or model\$4)))	USPAT; US-PGPUB	2004/09/16 10:49
_	3153	((predict\$5 or anticipat\$5 or forecast\$3 or extrapolat\$5 or determin\$5 or control\$4 or regulat\$5) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with (transmit\$5 or optic\$5 or reflect\$5 or equation or formula or model\$4) with (process or coat\$3 or deposit\$4 or film or filter or \$4CVD or \$4PVD)) and ((measur\$5 or monitor\$4) with (optic\$5 or transmit\$5 or reflect\$5 or propert\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:14

-	1335	((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 10:57
		or extrapolat\$5 or determin\$5 or control\$4	US-PGPUB;	
		or regulat\$5) with (end\$3 or stop\$4 or	EPO; JPO;	
		endpoint or terminat\$4 or finish\$3) with	DERWENT;	
		(transmit\$5 or optic\$5 or reflect\$5 or	IBM TDB	
		equation or formula or model\$4) with	_	
	ł	(process or coat\$3 or deposit\$4 or film or		
		filter or \$4CVD or \$4PVD)) same ((measur\$5		
		or monitor\$4) with (optic\$5 or transmit\$5		
	ļ	or reflect\$5 or propert\$4))		
-	14	(((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 10:57
}		or extrapolat\$5 or determin\$5 or control\$4	US-PGPUB;	2001,00,10 10.0,
		or regulat\$5) with (end\$3 or stop\$4 or	EPO; JPO;	
		endpoint or terminat\$4 or finish\$3) with	DERWENT;	
		(transmit\$5 or optic\$5 or reflect\$5 or		
		equation or formula or model\$4) with	IBM_TDB	
		(process or coat\$3 or deposit\$4 or film or		i
		filter or \$4CVD or \$4PVD)) and ((measur\$5		
i		or monitor\$4) with (optic\$5 or transmit\$5		
		or reflect\$5 or propert\$4))) and		
l _	4.3	((359/580,588,885).CCLS.)		
-	43	(((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 10:57
		or extrapolat\$5 or determin\$5 or control\$4	US-PGPUB;	
		or regulat\$5) with (end\$3 or stop\$4 or	EPO; JPO;	
		endpoint or terminat\$4 or finish\$3) with	DERWENT;	
1		(transmit\$5 or optic\$5 or reflect\$5 or	IBM_TDB	
		equation or formula or model\$4) with	_	
		(process or coat\$3 or deposit\$4 or film or		ľ
		filter or \$4CVD or \$4PVD)) and ((measur\$5		
		or monitor\$4) with (optic\$5 or transmit\$5		
		or reflect\$5 or propert\$4))) and		
		((((427/9) or (118/668)).CCLS.)		
		((427/10).CCLS.)		
	l	((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.))		
_	649	((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:04
		or extrapolat\$5 or determin\$5) with (end\$3	US-PGPUB;	2004/03/10 11:04
		or stop\$4 or endpoint or terminat\$4 or		
		finish\$3) with (transmit\$5 or optic\$5 or	EPO; JPO;	
		reflect\$5 or equation or formula or	DERWENT;	
			IBM_TDB	
		model\$4) with (process or coat\$3 or		
		deposit\$4 or film or filter or \$4CVD or		
		\$4PVD)) same ((measur\$5 or monitor\$4) with	•	
		(optic\$5 or transmit\$5 or reflect\$5 or		
	100	propert\$4))		
_	109	((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:14
		or extrapolat\$5 or determin\$5) with (end\$3	US-PGPUB;	
		or stop\$4 or endpoint or terminat\$4 or	EPO; JPO;	
		finish\$3) with (transmit\$5 or optic\$5 or	DERWENT;	i
		reflect\$5 or equation or formula or	IBM_TDB	
		model\$4) with (coat\$3 or deposit\$4 or	<del>_</del>	
		\$4CVD or \$4PVD)) same ((measur\$5 or		
		monitor\$4) with (optic\$5 or transmit\$5 or		
		reflect\$5 or propert\$4))		

-	99	(((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:04
		or extrapolat\$5 or determin\$5) with (end\$3	US-PGPUB;	
		or stop\$4 or endpoint or terminat\$4 or	EPO; JPO;	
		finish\$3) with (transmit\$5 or optic\$5 or	DERWENT;	
		reflect\$5 or equation or formula or	IBM TDB	
		model\$4) with (coat\$3 or deposit\$4 or	_	
		\$4CVD or \$4PVD)) same ((measur\$5 or		
		monitor\$4) with (optic\$5 or transmit\$5 or		
		reflect\$5 or propert\$4))) not		
		((((predict\$5 or anticipat\$5 or forecast\$3		
		or extrapolat\$5 or determin\$5 or control\$4		
		or regulat\$5) with (end\$3 or stop\$4 or		
		1		
		endpoint or terminat\$4 or finish\$3) with		
		(transmit\$5 or optic\$5 or reflect\$5 or		
		equation or formula or model\$4) with		
		(process or coat\$3 or deposit\$4 or film or		
	1	filter or \$4CVD or \$4PVD)) and ((measur\$5		
		or monitor\$4) with (optic\$5 or transmit\$5		
		or reflect\$5 or propert\$4))) and		
		((((427/9) or (118/668)).CCLS.)		
		((427/10).CCLS.)		
		((427/162,164,165,166).CCLS.)	+	
		((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.)	1	
	i	((359/580,588,885).CCLS.)))		1
_	603	(((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:49
		or extrapolat\$5 or determin\$5 or control\$4	US-PGPUB;	2004/03/10 11:49
		or regulat\$5) with (end\$3 or stop\$4 or	EPO; JPO;	1
	,	endpoint or terminat\$4 or finish\$3) with		
		(transmit\$5 or optic\$5 or reflect\$5 or	DERWENT;	
		constion or formula or model(4) with	IBM_TDB	
		equation or formula or model\$4) with		
		(process or coat\$3 or deposit\$4 or film or		
İ		filter or \$4CVD or \$4PVD)) and ((measur\$5		
		or monitor\$4) with (optic\$5 or transmit\$5		
		or reflect\$5 or propert\$4))) and		
		((multilayer or (multi adj layer) or		
		optical or notch or band\$5 or rugate or		
		interference) near2 filter)		]
-	323	((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:19
		or extrapolat\$5) with (end\$3 or stop\$4 or	US-PGPUB;	
		endpoint or terminat\$4 or finish\$3)) same	EPO; JPO;	!
1		((measur\$5 or monitor\$4) with (optic\$5 or	DERWENT;	
		transmit\$5 or reflect\$5 or propert\$4))	IBM TDB	
-	4	(((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:15
		or extrapolat\$5) with (end\$3 or stop\$4 or	US-PGPUB;	2004/03/10 11:13
]	]	endpoint or terminat\$4 or finish\$3)) same	EPO; JPO;	]
		((measur\$5 or monitor\$4) with (optic\$5 or	DERWENT;	
	j	transmit\$5 or reflect\$5 or propert\$4)))		
		and ((((427/9) or (118/668)).CCLS.)	IBM_TDB	<u> </u>
		((427/10).CCLS.)		
	į l	((427/162,164,165,166).CCLS.)		
		(1427/255 15 255 7) CCTG \		
		((427/255.15,255.7).CCLS.)		]
		((427/419.3).CCLS.)		
	, ,,	((359/580,588,885).CCLS.))		
-	73	(((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:16
		or extrapolat\$5) with (end\$3 or stop\$4 or	US-PGPUB;	
	i l	endpoint or terminat\$4 or finish\$3)) same	EPO; JPO;	
		((measur\$5 or monitor\$4) with (optic\$5 or	DERWENT;	
		transmit\$5 or reflect\$5 or propert\$4)))	IBM TDB	
		and ((multilayer or (multi adj layer) or	_	į l
		optical or notch or band\$5 or rugate or		
İ		interference) near2 filter)		
-	74	((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:35
		or extrapolat\$5) with (end\$3 or stop\$4 or	US-PGPUB;	
[	l l	endpoint or terminat\$4 or finish\$3) with	EPO; JPO;	1
		(coat\$4 or deposit\$4 or \$4CVD or \$4PVD or	DERWENT;	1
	[	process)) same ((measur\$5 or monitor\$4)	IBM TDB	
		with (optic\$5 or transmit\$5 or reflect\$5	1011_100	
	]	or propert\$4))		1

<u></u>			1	T
-	29	<pre>(((predict\$5 or anticipat\$5 or forecast\$3 or extrapolat\$5) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/09/16 11:21
		(coat\$4 or deposit\$4 or \$4CVD or \$4PVD or process)) same ((measur\$5 or monitor\$4)	DERWENT; IBM_TDB	
		<pre>with (optic\$5 or transmit\$5 or reflect\$5 or propert\$4))) not (((predict\$5 or</pre>		
		anticipat\$5 or forecast\$3 or extrapolat\$5) with (end\$3 or stop\$4 or endpoint or		
		terminat\$4 or finish\$3)) same ((measur\$5 or monitor\$4) with (optic\$5 or transmit\$5		
		or reflect\$5 or propert\$4))) and ((multilayer or (multi adj layer) or		
		optical or notch or band\$5 or rugate or		
_	1047	interference) near2 filter)) ((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:24
		or extrapolat\$5 or determin\$5 or control\$5 or select\$4) with (end\$3 or stop\$4 or	US-PGPUB; EPO; JPO;	
		endpoint or terminat\$4 or finish\$3) with (coat\$4 or deposit\$4 or \$4CVD or \$4PVD or	DERWENT; IBM TDB	
		process) with (measur\$5 or monitor\$4) with (optic\$5 or transmit\$5 or reflect\$5 or	_	
_	174	<pre>propert\$4)) ((predict\$5 or anticipat\$5 or forecast\$3</pre>	USPAT;	2004/09/16 11:26
		or extrapolat\$5 or determin\$5 or control\$5 or select\$4) with (end\$3 or stop\$4 or	US-PGPUB; EPO; JPO;	2001,03,10 11.20
		endpoint or terminat\$4 or finish\$3) with (coat\$4 or deposit\$4 or \$4CVD or \$4PVD or	DERWENT; IBM TDB	
		process) with (measur\$5 or monitor\$4) with	I I DE	
		(optic\$5 or transmit\$5 or reflect\$5 or propert\$4) with (utiliz\$5 or based or		
		basis or model\$4 or equation or formula or relationship))		
_	167	<pre>(((predict\$5 or anticipat\$5 or forecast\$3 or extrapolat\$5 or determin\$5 or control\$5</pre>	USPAT; US-PGPUB;	2004/09/16 11:29
		or select\$4) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with	EPO; JPO; DERWENT;	
		(coat\$4 or deposit\$4 or \$4CVD or \$4PVD or process) with (measur\$5 or monitor\$4) with	IBM_TDB	
		(optic\$5 or transmit\$5 or reflect\$5 or propert\$4) with (utiliz\$5 or based or		
		basis or model\$4 or equation or formula or relationship))) not (((predict\$5 or		
		anticipat\$5 or forecast\$3 or extrapolat\$5) with (end\$3 or stop\$4 or endpoint or		
		terminat\$4 or finish\$3) with (coat\$4 or deposit\$4 or \$4CVD or \$4PVD or process))		
		same ((measur\$5 or monitor\$4) with (optic\$5 or transmit\$5 or reflect\$5 or		
_	17	propert\$4))) (((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:27
	''	or extrapolat\$5 or determin\$5 or control\$5 or select\$4) with (end\$3 or stop\$4 or	US-PGPUB; EPO; JPO;	2004/03/10 11.2/
		endpoint or terminat\$4 or finish\$3) with	DERWENT;	
		(coat\$4 or deposit\$4 or \$4CVD or \$4PVD or process) with (measur\$5 or monitor\$4) with	IBM_TDB	
		(optic\$5 or transmit\$5 or reflect\$5 or propert\$4))) and (((427/9) or		
		(118/668)).CCLS.) ((427/10).CCLS.) ((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.) ((427/419.3).CCLS.)		
L		((359/580,588,885).CCLS.))		1

-	162	((((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:29
		or extrapolat\$5 or determin\$5 or control\$5	US-PGPUB;	
		or select\$4) with (end\$3 or stop\$4 or	EPO; JPO;	
		endpoint or terminat\$4 or finish\$3) with	DERWENT;	
		(coat\$4 or deposit\$4 or \$4CVD or \$4PVD or	IBM_TDB	
ļ		process) with (measur\$5 or monitor\$4) with		
		(optic\$5 or transmit\$5 or reflect\$5 or		
		propert\$4) with (utiliz\$5 or based or		
		basis or model\$4 or equation or formula or		1
		relationship))) not (((predict\$5 or		
		anticipat\$5 or forecast\$3 or extrapolat\$5)	İ	
		with (end\$3 or stop\$4 or endpoint or		
		terminat\$4 or finish\$3) with (coat\$4 or		
}		deposit\$4 or \$4CVD or \$4PVD or process))		
		same ((measur\$5 or monitor\$4) with		1
		(optic\$5 or transmit\$5 or reflect\$5 or		
		propert\$4)))) not (((predict\$5 or		
		anticipat\$5 or forecast\$3 or extrapolat\$5		
		or determin\$5 or control\$5 or select\$4)		
		with (end\$3 or stop\$4 or endpoint or		
		terminat\$4 or finish\$3) with (coat\$4 or		
		deposit\$4 or \$4CVD or \$4PVD or process)		
		with (measur\$5 or monitor\$4) with (optic\$5		
		or transmit\$5 or reflect\$5 or propert\$4)))		
		and ((((427/9) or (118/668)).CCLS.)		
		((427/10).CCLS.) ((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.)))		
-	26		USPAT;	2004/09/16 11:35
		or extrapolat\$5) with (end\$3 or stop\$4 or	US-PGPUB;	2004/09/10 11:33
]		endpoint or terminat\$4 or finish\$3) with	EPO; JPO;	
1		(model\$4 or equation or formula or	DERWENT;	
	i	relationship)) same ((measur\$5 or	IBM TDB	
		monitor\$4) with (optic\$5 or transmit\$5 or		
		reflect\$5 or propert\$4))		
-	43	((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:37
		or extrapolat\$5) with (end\$3 or stop\$4 or	US-PGPUB;	
		endpoint or terminat\$4 or finish\$3) same	EPO; JPO;	
		(model\$4 or equation or formula or	DERWENT;	
		relationship)) same ((measur\$5 or	IBM_TDB	
		monitor\$4) with (optic\$5 or transmit\$5 or		
	100	reflect\$5 or propert\$4))		
_	123	((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:40
		or extrapolat\$5) with (end\$3 or stop\$4 or	US-PGPUB;	
		endpoint or terminat\$4 or finish\$3)) with	EPO; JPO;	
		((measur\$5 or monitor\$4) with (optic\$5 or transmit\$5 or reflect\$5 or propert\$4))	DERWENT;	
_	2		IBM_TDB	2004/00/16 11 22
	2	or extrapolat\$5) with (end\$3 or stop\$4 or	USPAT;	2004/09/16 11:38
		endpoint or terminat\$4 or finish\$3)) with	US-PGPUB; EPO; JPO;	
		((measur\$5 or monitor\$4) with (optic\$5 or	DERWENT;	
		transmit\$5 or reflect\$5 or propert\$4)))	IBM TDB	
		and ((((427/9) or (118/668)).CCLS.)	1011_100	
		((427/10).CCLS.)		
		((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.))		
· · · · · · · · · · · · · · · · · · ·				<u> </u>

-	121	(((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:38
		or extrapolat\$5) with (end\$3 or stop\$4 or	US-PGPUB;	
		endpoint or terminat\$4 or finish\$3)) with	EPO; JPO;	
		((measur\$5 or monitor\$4) with (optic\$5 or	DERWENT;	
		transmit\$5 or reflect\$5 or propert\$4)))	IBM_TDB	
		not ((((predict\$5 or anticipat\$5 or		
		forecast\$3 or extrapolat\$5) with (end\$3 or	i	
		stop\$4 or endpoint or terminat\$4 or		
		finish\$3)) with ((measur\$5 or monitor\$4)		
		with (optic\$5 or transmit\$5 or reflect\$5		
		or propert\$4))) and ((((427/9) or		
		(118/668)).CCLS.) ((427/10).CCLS.)		
		((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.)		
	225	((359/580,588,885).CCLS.)))		
-	235	((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:48
		or extrapolat\$5) with (end\$3 or stop\$4 or	US-PGPUB;	
	1	endpoint or terminat\$4 or finish\$3)) with	EPO; JPO;	
		(coat\$3 or deposit\$3 or \$4CVD or process	DERWENT;	
	1	or \$4PVD) with ((optic\$5 or transmit\$5 or	IBM_TDB	
		reflect\$5 or propert\$4 or equation or		,
_	217	formula or model\$4))		0004/00/5
-	21/	(((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:43
		or extrapolat\$5) with (end\$3 or stop\$4 or	US-PGPUB;	
`		endpoint or terminat\$4 or finish\$3)) with	EPO; JPO;	]
		(coat\$3 or deposit\$3 or \$4CVD or process	DERWENT;	
		or \$4PVD) with ((optic\$5 or transmit\$5 or reflect\$5 or propert\$4 or equation or	IBM_TDB	
		formula or model\$4))) not (((((predict\$5		
		or anticipat\$5 or forecast\$3 or		
		extrapolat\$5 or determin\$5 or control\$5 or		
		select\$4) with (end\$3 or stop\$4 or		
	1	endpoint or terminat\$4 or finish\$3) with		
		(coat\$4 or deposit\$4 or \$4CVD or \$4PVD or		i
		process) with (measur\$5 or monitor\$4) with		
		(optic\$5 or transmit\$5 or reflect\$5 or		
}		propert\$4) with (utiliz\$5 or based or		
		basis or model\$4 or equation or formula or		
		relationship))) not (((predict\$5 or		
	1	anticipat\$5 or forecast\$3 or extrapolat\$5)		
		with (end\$3 or stop\$4 or endpoint or		
		terminat\$4 or finish\$3) with (coat\$4 or		
		deposit\$4 or \$4CVD or \$4PVD or process))		
		same ((measur\$5 or monitor\$4) with		
1		(optic\$5 or transmit\$5 or reflect\$5 or		
1		<pre>propert\$4)))) not ((((predict\$5 or</pre>		
1		anticipat\$5 or forecast\$3 or extrapolat\$5		
		or determin\$5 or control\$5 or select\$4)		
1		with (end\$3 or stop\$4 or endpoint or		
		terminat\$4 or finish\$3) with (coat\$4 or		
1		deposit\$4 or \$4CVD or \$4PVD or process)		
		with (measur\$5 or monitor\$4) with (optic\$5		
ļ		or transmit\$5 or reflect\$5 or propert\$4)))		
		and ((((427/9) or (118/668)).CCLS.)		
1		((427/10).CCLS.)		
		((427/162,164,165,166).CCLS.)		
1		((427/255.15,255.7).CCLS.)		
1		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.)))) or		
	l İ	(((predict\$5 or anticipat\$5 or forecast\$3		,
		or extrapolat\$5) with (end\$3 or stop\$4 or		
		endpoint or terminat\$4 or finish\$3)) with		
		((measur\$5 or monitor\$4) with (optic\$5 or		
	L	transmit\$5 or reflect\$5 or propert\$4))))		

3 ((	((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:42
or	extrapolat\$5) with (end\$3 or stop\$4 or	US-PGPUB;	
end	dpoint or terminat\$4 or finish\$3)) with	EPO; JPO;	
(cc	pat\$3 or deposit\$3 or \$4CVD or process	DERWENT;	
or	\$4PVD) with ((optic\$5 or transmit\$5 or	IBM TDB	1
rei	flect\$5 or propert\$4 or equation or	_	
for	rmula or model\$4))) not (((((predict\$5		
or	anticipat\$5 or forecast\$3 or	1	
ext	trapolat\$5 or determin\$5 or control\$5 or		İ
sel	lect\$4) with (end\$3 or stop\$4 or		
end	dpoint or terminat\$4 or finish\$3) with		
(co	oat\$4 or deposit\$4 or \$4CVD or \$4PVD or		
pro	ocess) with (measur\$5 or monitor\$4) with		
(or	otic\$5 or transmit\$5 or reflect\$5 or		
	opert\$4) with (utiliz\$5 or based or		
	sis or model\$4 or equation or formula or		
rel	lationship))) not (((predict\$5 or		
ant	cicipat\$5 or forecast\$3 or extrapolat\$5)		
wit	th (end\$3 or stop\$4 or endpoint or	J	
ter	cminat\$4 or finish\$3) with (coat\$4 or		
dep	posit\$4 or \$4CVD or \$4PVD or process))		
sam	ne ((measur\$5 or monitor\$4) with		
(or	otic\$5 or transmit\$5 or reflect\$5 or		
	ppert\$4)))) not ((((predict\$5 or	ĺ	
ant	cicipat\$5 or forecast\$3 or extrapolat\$5		
or	determin\$5 or control\$5 or select\$4)		
	th (end\$3 or stop\$4 or endpoint or		
ter	cminat\$4 or finish\$3) with (coat\$4 or		1
dep	posit\$4 or \$4CVD or \$4PVD or process)		
wit	th (measur\$5 or monitor\$4) with (optic\$5		
or	transmit\$5 or reflect\$5 or propert\$4)))		
and	1 ((((427/9) or (118/668)).CCLS.)		
	(27/10).CCLS.)		
	27/162,164,165,166).CCLS.)		1
((4	27/255.15,255.7).CCLS.)		
((4	27/419.3).CCLS.)		ļ
((3	59/580,588,885).CCLS.)))) or		1
	predict\$5 or anticipat\$5 or forecast\$3		
or	extrapolat\$5) with (end\$3 or stop\$4 or		
end	point or terminat\$4 or finish\$3)) with		
( (m	measur\$5 or monitor\$4) with (optic\$5 or		
tra	nsmit\$5 or reflect\$5 or propert\$4)))))		
and	((((427/9) or (118/668)).CCLS.)		
	27/10).CCLS.)		
	27/162,164,165,166).CCLS.)		
((4	27/255.15,255.7).CCLS.)		
((4	27/410 2) 0010		1
	27/419.3).CCLS.)		

((((predict\$5 or anticipat\$5 or forecast\$3 2004/09/16 11:43 USPAT; or extrapolat\$5) with (end\$3 or stop\$4 or US-PGPUB; endpoint or terminat\$4 or finish\$3)) with EPO; JPO; (coat\$3 or deposit\$3 or \$4CVD or process DERWENT; or \$4PVD) with ((optic\$5 or transmit\$5 or IBM TDB reflect\$5 or propert\$4 or equation or formula or model\$4))) not (((((predict\$5 or anticipat\$5 or forecast\$3 or extrapolat\$5 or determin\$5 or control\$5 or select\$4) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with (coat\$4 or deposit\$4 or \$4CVD or \$4PVD or process) with (measur\$5 or monitor\$4) with (optic\$5 or transmit\$5 or reflect\$5 or propert\$4) with (utiliz\$5 or based or basis or model\$4 or equation or formula or relationship))) not (((predict\$5 or anticipat\$5 or forecast\$3 or extrapolat\$5) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with (coat\$4 or deposit\$4 or \$4CVD or \$4PVD or process)) same ((measur\$5 or monitor\$4) with (optic\$5 or transmit\$5 or reflect\$5 or propert\$4)))) not ((((predict\$5 or anticipat\$5 or forecast\$3 or extrapolat\$5 or determin\$5 or control\$5 or select\$4) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with (coat\$4 or deposit\$4 or \$4CVD or \$4PVD or process) with (measur\$5 or monitor\$4) with (optic\$5 or transmit\$5 or reflect\$5 or propert\$4))) and ((((427/9) or (118/668)).CCLS.) ((427/10).CCLS.) ((427/162,164,165,166).CCLS.) ((427/255.15,255.7).CCLS.) ((427/419.3).CCLS.) ((359/580,588,885).CCLS.)))) or (((predict\$5 or anticipat\$5 or forecast\$3 or extrapolat\$5) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3)) with ((measur\$5 or monitor\$4) with (optic\$5 or transmit\$5 or reflect\$5 or propert\$4))))) not (((((predict\$5 or anticipat\$5 or forecast\$3 or extrapolat\$5) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3)) with (coat\$3 or deposit\$3 or \$4CVD or process or \$4PVD) with ((optic\$5 or transmit\$5 or reflect\$5 or propert\$4 or equation or formula or model\$4))) not ((((((predict\$5 or anticipat\$5 or forecast\$3 or extrapolat\$5 or determin\$5 or control\$5 or select\$4) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with (coat\$4 or deposit\$4 or \$4CVD or \$4PVD or process) with (measur\$5 or monitor\$4) with (optic\$5 or transmit\$5 or reflect\$5 or propert\$4) with (utiliz\$5 or based or basis or model\$4 or equation or formula or relationship))) not (((predict\$5 or anticipat\$5 or forecast\$3 or extrapolat\$5) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with (coat\$4 or deposit\$4 or \$4CVD or \$4PVD or process)) same ((measur\$5 or monitor\$4) with (optic\$5 or transmit\$5 or reflect\$5 or propert\$4)))) not ((((predict\$5 or anticipat\$5 or forecast\$3 or extrapolat\$5 or determin\$5 or control\$5 or select\$4) with (end\$3 or stop\$4 or endpoint or terminat\$4 or finish\$3) with (coat\$4 or deposit\$4 or \$4CVD or \$4PVD or process) with (measur\$5 or monitor\$4) with (optic\$5 9 10r, transmits5 or reflects5 or properts4)))
and ((((427/9)) or (118/668)).ccls.)

Search History

C:\APPS\EAST\Workspaces121001407459:1959

_	215	((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:48
		or extrapolat\$5) with (end\$3 or stop\$4 or	US-PGPUB;	
		endpoint or terminat\$4 or finish\$3)) with	EPO; JPO;	
		(measur\$4 or monitor\$4) with ((optic\$5 or	DERWENT;	
	1	transmit\$5 or reflect\$5 or propert\$4 or	IBM TDB	:
		equation or formula or model\$4))	12100	
_	248	((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:49
		or extrapolat\$5) with (end\$3 or stop\$4 or	US-PGPUB;	2004/05/10 11.49
		endpoint or terminat\$4 or finish\$3)) with	EPO; JPO;	
		(measur\$5 or monitor\$4) with ((optic\$5 or	DERWENT;	1
		transmit\$5 or reflect\$5 or propert\$4 or	1	l i
		equation or formula or model\$4))	IBM_TDB	1
_	2	(((predict\$5 or anticipat\$5 or forecast\$3	HCDAM.	2004/00/16 11:40
		1 *	USPAT;	2004/09/16 11:48
		or extrapolat\$5) with (end\$3 or stop\$4 or	US-PGPUB;	
		endpoint or terminat\$4 or finish\$3)) with	EPO; JPO;	
		(measur\$5 or monitor\$4) with ((optic\$5 or	DERWENT;	
		transmit\$5 or reflect\$5 or propert\$4 or	IBM_TDB	
		equation or formula or model\$4))) and		1
		((((427/9) or (118/668)).CCLS.)		į
		((427/10).CCLS.)		
		((427/162,164,165,166).CCLS.)		
		((427/255.15,255.7).CCLS.)		
		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.))		
_	205	(((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:49
	Ť	or extrapolat\$5) with (end\$3 or stop\$4 or	US-PGPUB;	
		endpoint or terminat\$4 or finish\$3)) with	EPO; JPO;	
		(measur\$5 or monitor\$4) with ((optic\$5 or	DERWENT;	
		transmit\$5 or reflect\$5 or propert\$4 or	IBM TDB	
		equation or formula or model\$4))) not	-	
		(((predict\$5 or anticipat\$5 or forecast\$3		
		or extrapolat\$5) with (end\$3 or stop\$4 or		
		endpoint or terminat\$4 or finish\$3)) with	1	
		(coat\$3 or deposit\$3 or \$4CVD or process		
		or \$4PVD) with ((optic\$5 or transmit\$5 or	i	
		reflect\$5 or propert\$4 or equation or		
		formula or model\$4)))		
_	11	((((predict\$5 or anticipat\$5 or forecast\$3	USPAT;	2004/09/16 11:55
		or extrapolat\$5) with (end\$3 or stop\$4 or	US-PGPUB;	2001,03,10 11.33
		endpoint or terminat\$4 or finish\$3)) with	EPO; JPO;	
		(measur\$5 or monitor\$4) with ((optic\$5 or	DERWENT;	
		transmit\$5 or reflect\$5 or propert\$4 or	IBM TDB	
		equation or formula or model\$4))) not	1511-155	
		(((predict\$5 or anticipat\$5 or forecast\$3		1
		or extrapolat\$5) with (end\$3 or stop\$4 or		
		endpoint or terminat\$4 or finish\$3)) with		
		(coat\$3 or deposit\$3 or \$4CVD or process		
		or \$4PVD) with ((optic\$5 or transmit\$5 or		
		reflect\$5 or propert\$4 or equation or		
		formula or model\$4)))) and ((multilayer or		
	i	(multi adj layer) or optical or notch or		1
		band\$5 or rugate or interference) near2	!	
	1	filter)	l	1

		<u> </u>		
-	194	1 , , , , ,	USPAT;	2004/09/16 11:53
		or extrapolat\$5) with (end\$3 or stop\$4 or	US-PGPUB;	
	1	endpoint or terminat\$4 or finish\$3)) with	EPO; JPO;	
		(measur\$5 or monitor\$4) with ((optic\$5 or	DERWENT;	
	1	transmit\$5 or reflect\$5 or propert\$4 or	IBM_TDB	!
		equation or formula or model\$4))) not		
		(((predict\$5 or anticipat\$5 or forecast\$3		
		or extrapolat\$5) with (end\$3 or stop\$4 or		
	J	endpoint or terminat\$4 or finish\$3)) with		
		(coat\$3 or deposit\$3 or \$4CVD or process		
		or \$4PVD) with ((optic\$5 or transmit\$5 or		
		reflect\$5 or propert\$4 or equation or		l
		formula or model\$4)))) not ((((predict\$5		İ
		or anticipat\$5 or forecast\$3 or extrapolat\$5) with (end\$3 or stop\$4 or		
		endpoint or terminat \$4 or finish \$3)) with		
		(measur\$5 or monitor\$4) with ((optic\$5 or		
		transmit\$5 or reflect\$5 or propert\$4 or		
	1	equation or formula or model\$4))) not		
	1	(((predict\$5 or anticipat\$5 or forecast\$3		
		or extrapolat\$5) with (end\$3 or stop\$4 or		
		endpoint or terminat\$4 or finish\$3)) with		
		(coat\$3 or deposit\$3 or \$4CVD or process		
		or \$4PVD) with ((optic\$5 or transmit\$5 or		
		reflect\$5 or propert\$4 or equation or		
		formula or model\$4)))) and ((multilayer or		
		(multi adj layer) or optical or notch or		
		band\$5 or rugate or interference) near2		
		filter))	•	
_	275		USPAT;	2004/09/16 11:57
		model\$3) with (transmittance) with time)	US-PGPUB;	2004/09/16 11:5/
		we we have the terminate canoo, when the	EPO; JPO;	
	<u> </u>		DERWENT;	
	1		IBM TDB	
_	4	(((formula or equation or relationship or	USPAT;	2004/09/16 11:54
	_	model\$3) with (transmittance) with time) )	US-PGPUB;	2004/09/10 11.54
		and ((((427/9) or (118/668)).CCLS.)	EPO; JPO;	
		((427/10).CCLS.)	DERWENT;	
		((427/162,164,165,166).CCLS.)	IBM TDB	
		((427/255.15,255.7).CCLS.)	1011_100	
		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.))		
_	48	(((formula or equation or relationship or	USPAT;	2004/09/16 11:55
		model\$3) with (transmittance) with time) )	US-PGPUB;	2004/03/10 11:55
		and ((multilayer or (multi adj layer) or	EPO; JPO;	
		optical or notch or band\$5 or rugate or	DERWENT;	
		interference) near2 filter)	IBM TDB	
-	12	((formula or equation or relationship or	USPAT;	2004/09/16 11:58
	[ i	model\$3) with (transmittance) with time)	US-PGPUB;	
		same (cos or cosine)	EPO; JPO;	
		'	DERWENT;	
			IBM TDB	
-	214	(((formula or equation or relationship or	USPAT;	2004/09/16 11:58
1		model\$3) with (transmittance) with time) )	US-PGPUB;	= , , 1 - 1 - 1 - 1 - 1 - 1 - 1
		not (((((formula or equation or	EPO; JPO;	
1		relationship or model\$3) with	DERWENT;	
1		(transmittance) with time) ) and	IBM TDB	
		((((427/9) or (118/668)).CCLS.)		
		((427/10).CCLS.)		
1		((427/162,164,165,166).CCLS.)		
1		((427/255.15,255.7).CCLS.)		
]		((427/419.3).CCLS.)		
		((359/580,588,885).CCLS.))) or (((formula		
		or equation or relationship or model\$3)		
		with (transmittance) with time) ) and	ļ	
		((multilayer or (multi adj layer) or		
		optical or notch or band\$5 or rugate or		
		interference) near2 filter)) or (((formula		
		or equation or relationship or model\$3)		
		with (transmittance) with time) same (cos		
		or cosine) ))		